


JZQ Box-Type Oil-Lubricated Vibrator Exciter



新乡市振动电机有限公司
XIN XIANG VIBRATION MOTOR CO.,LTD

■一切以客户为中心

■一切以实现优质服务为目标

■中国专业的振动产品供应商





资质文件 Certificates



JZQ箱式激振器

JZQ Box-Type Oil-Lubricated
Vibrator Exciter



技术参数及外形尺寸表

Technical Specifications and Dimensions Table

型号 Type	转速 Speed (r/min)	最大激振力 Maximum excitation force(kN)	外形尺寸 Dimensions (mm)											
			A	A1	B	C	D	E	F	G	H	I	J	K
JZQ401S	1000	180	4×120		260	φ25	35	600	780	340	640	568	310	275
JZQ501S	1000	310	5×120		300	φ30	25	730	830	380	883	570	315	300
JZQ504S	1000	400	5×120		300	φ30	25	730	830	380	981	570	315	300
JZQ504V	750	260	5×120		300	φ30	25	730	830	380	981	570	315	300
JZQ601S	1000	500	4×120	150	390	φ30	30	910	1040	470	1012	623	370	376
JZQ601V	750	470	4×120	150	390	φ30	30	910	1040	470	1076	623	370	376
JZQ604S	1000	910	4×120	150	390	φ30	30	910	1040	470	1142	623	370	376